

17010301

| | | | | | |
|----|----------|--|----------|----------|---------|
| | | | | | |
| | | | | | |
| | 17010301 | | | | |
| | | | | | |
| | 10500ml | | | | |
| | | | | | |
| | | | | | |
| 1 | | | MPN/100m | 365.4 | |
| 2 | | | MPN/100m | 79.2 | |
| 3 | | | MPN/100m | | |
| 4 | | | CFU/mL | 60 | |
| 5 | | | | 15 | |
| 6 | | | NTU | 2.23 | |
| 7 | | | | 0 | |
| 8 | | | | | |
| 9 | pH | | | 7.62 | 6.5~9.0 |
| 10 | | | | 79 | |
| 11 | | | | 44 | |
| 12 | | | | 0.070 | |
| 13 | | | | 0.010 | |
| 14 | | | | 2.40 | |
| 15 | | | | 0.167 | |
| 16 | | | | 2.711 | |
| 17 | | | | 0.016 | |
| 18 | | | | 1.892 | |
| 19 | | | | 2.322 | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | 0.000037 | |
| 23 | | | | 0.00029 | |
| 24 | | | | | |
| 25 | | | | 0.006 | |
| 26 | | | | 0.09 | |
| 27 | | | | 0.11 | |
| 28 | | | | 0.00068 | |
| 29 | | | | 0.0015 | |
| 30 | | | | 0.00177 | |
| 32 | | | | 0.002 | |
| 33 | | | | <0.002 | |
| 34 | | | | 0.07 | |
| 35 | | | | <.0002 | |
| 36 | | | | <0.0001 | |

17010302

| | | | | |
|----|----------|--|-----------|---------------|
| | | | | |
| | | | | |
| | 17010302 | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 1 | | | MPN/100mL | |
| 2 | | | MPN/100mL | |
| 3 | | | MPN/100mL | |
| 4 | | | CFU/mL | |
| 5 | | | | <5 |
| 6 | | | NTU | 0.17 |
| 7 | | | | 0 |
| 8 | | | | |
| 9 | pH | | | 90.30 6.5~8.5 |
| 10 | | | | 81 |
| 11 | | | | 38 |
| 12 | | | | 0.062 |
| 13 | | | | 0.012 |
| 14 | | | | 1.28 |
| 15 | | | | 0.16 |
| 16 | | | | 5.19 |
| 17 | | | | 0.38 |
| 18 | | | | 1.90 |
| 19 | | | | 2.31 |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | 0.00009 |
| 23 | | | | 0.00031 |
| 24 | | | | |
| 25 | | | | 0.007 |
| 26 | | | | 0.09 |
| 27 | | | | 0.012 |
| 28 | | | | 0.001 |
| 29 | | | | 0.0015 |
| 30 | | | | 0.00855 |
| 31 | | | | 0.17 |
| 32 | | | | <0.002 |
| 33 | | | | <0.002 |
| 34 | | | | <0.05 |
| 35 | | | | <0.0002 |
| 36 | | | | <0.0001 |

| | | | |
|----|-----------|---------|---------|
| 1 | MPN/100mL | | |
| 2 | MPN/100mL | | |
| 3 | MPN/100mL | | |
| 4 | CFU/mL | | |
| 5 | | <5 | |
| 6 | NTU | 0.22 | |
| 7 | | 0 | |
| 8 | | | |
| 9 | | 7.76 | 6.5~8.5 |
| 10 | | 78 | |
| 11 | | 38 | |
| 12 | | 0.070 | |
| 13 | | 0.012 | |
| 14 | | 1.28 | |
| 15 | | 0.16 | |
| 16 | | 5.16 | |
| 17 | | 0.29 | |
| 18 | | 1.81 | |
| 19 | | 2.33 | |
| 20 | | | |
| 21 | | | |
| 22 | | 0.00013 | |
| 23 | | 0.00033 | |
| 24 | | | |
| 25 | | 0.008 | |
| 26 | | 0.09 | |
| 27 | | 0.05 | |
| 28 | | 0.00042 | |
| 29 | | 0.0013 | |
| 30 | | 0.00873 | |
| 31 | | 0.11 | 0.05 |
| 32 | | <0.002 | |
| 33 | | <0.002 | |
| 34 | | <0.05 | |
| 35 | | <0.0002 | |
| 36 | | <0.0001 | |

| | | | |
|----|-----------|--------|---------|
| 1 | MPN/100mL | | |
| 2 | MPN/100mL | | |
| 3 | MPN/100mL | | |
| 4 | CFU/mL | | |
| 5 | | <5 | |
| 6 | NTU | 0.16 | |
| 7 | | 0 | |
| 8 | | | |
| 9 | | 7.88 | 6.5~8.5 |
| 10 | | 78 | |
| 11 | | 40 | |
| 12 | | 0.053 | |
| 13 | | 0.013 | |
| 14 | | 1.36 | |
| 15 | | 0.16 | |
| 16 | | 5.30 | |
| 17 | | 0.31 | |
| 18 | | 1.88 | |
| 19 | | 2.31 | |
| 20 | | | |
| 21 | | | |
| 22 | | 0.0001 | |
| 23 | | 0.0004 | |
| 24 | | | |
| 25 | | 0.008 | |
| 26 | | 0.09 | |
| 27 | | 0.03 | |
| 28 | | 0.001 | |
| 29 | | 0.0019 | |
| 30 | | 0.012 | |
| 31 | | 0.13 | 0.05 |
| 32 | | <0.002 | |
| 33 | | <0.002 | |
| 34 | | <0.05 | |
| 35 | | <0.000 | |
| 36 | | <0.000 | |

17010305

17010305

10500ml

| | | | | |
|----|----|-----------|---------|---------|
| 1 | | MPN/100mL | | |
| 2 | | MPN/100mL | | |
| 3 | | MPN/100mL | | |
| 4 | | CFU/mL | | |
| 5 | | | <5 | |
| 6 | | NTU | 0.22 | |
| 7 | | | 0 | |
| 8 | | | | |
| 9 | pH | | 7.94 | 6.5~8.5 |
| 10 | | | 90 | |
| 11 | | | 40 | |
| 12 | | | 0.056 | |
| 13 | | | 0.009 | |
| 14 | | | 1.36 | |
| 15 | | | 0.16 | |
| 16 | | | 5.31 | |
| 17 | | | 0.33 | |
| 18 | | | 1.89 | |
| 19 | | | 2.32 | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | 0.00015 | |
| 23 | | | 0.00035 | |
| 24 | | | | |
| 25 | | | 0.011 | |
| 26 | | | 0.10 | |
| 27 | | | 0.04 | |
| 28 | | | 0.00051 | |
| 29 | | | 0.0011 | |
| 30 | | | 0.0058 | |
| 31 | | | 0.04 | 0.05 |
| 32 | | | <0.002 | |
| 33 | | | <0.002 | |
| 34 | | | <0.05 | |
| 35 | | | <0.0002 | |
| 36 | | | <0.0001 | |

17010306

| | | | | | |
|----|----------|--|-----------|---------|---------|
| | | | | | |
| | | | | | |
| | 17010306 | | | | |
| | | | | | |
| | | | | | |
| | 10500ml | | | | |
| | | | | | |
| | | | | | |
| 1 | | | MPN/100mL | | |
| 2 | | | MPN/100mL | | |
| 3 | | | MPN/100mL | | |
| 4 | | | CFU/mL | | |
| 5 | | | | <5 | |
| 6 | | | NTU | 0.19 | |
| 7 | | | | 0 | |
| 8 | | | | | |
| 9 | pH | | | 7.91 | 6.5~8.5 |
| 10 | | | | 78 | |
| 11 | | | | 42 | |
| 12 | | | | 0.056 | |
| 13 | | | | 0.009 | |
| 14 | | | | 1.36 | |
| 15 | | | | 0.16 | |
| 16 | | | | 5.12 | |
| 17 | | | | 0.31 | |
| 18 | | | | 1.89 | |
| 19 | | | | 2.32 | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | 0.00015 | |
| 23 | | | | 0.00035 | |
| 24 | | | | | |
| 25 | | | | 0.01 | |
| 26 | | | | 0.09 | |
| 27 | | | | 0.03 | |
| 28 | | | | 0.00068 | |
| 29 | | | | 0.0011 | |
| 30 | | | | 0.0176 | |
| 31 | | | | 0.05 | 0.05 |
| 32 | | | | 0.002 | |
| 33 | | | | <0.002 | |
| 34 | | | | <0.05 | |
| 35 | | | | <0.0002 | |
| 36 | | | | <0.0001 | |

16080605

| | | | | |
|----|----------|--|-----------|---------|
| | | | | |
| | | | | |
| | 16080605 | | | |
| | | | | |
| | 10500ml | | | |
| | | | | |
| | | | | |
| 1 | | | MPN/100mL | |
| 2 | | | MPN/100mL | |
| 3 | | | MPN/100mL | |
| 4 | | | CFU/mL | |
| 5 | | | | <5 |
| 6 | | | NTU | 0.19 |
| 7 | | | | 0 |
| 8 | | | | |
| 9 | pH | | | 7.82 |
| | | | | 6.5~8.5 |
| 10 | | | uS/cm | 88.2 |
| 11 | | | | / |
| 12 | | | | / |
| 13 | | | | 0.084 |
| 14 | | | | |
| 15 | | | | 0.64 |
| 16 | | | | 0.14 |
| 17 | | | | 9.81 |
| 18 | | | | 0.61 |
| 19 | | | | 3.28 |
| 20 | | | | 2.79 |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | 0.0002 |
| 25 | | | | |
| 26 | | | | 0.009 |
| 27 | | | | 0.08 |
| 28 | | | | 0.01 |
| 29 | | | | |
| 30 | | | | 0.0007 |
| 31 | | | | 0.006 |
| 32 | | | | 0.10 |
| 0 | | | | |