

#§ ‡-1 pKw È"d 1 J"dCX ð#{

"dCX h?ô ðP¼ Ö z

ð#{ 0 Ö α 8

Ö * 0 Ö α 8

... } Ö ?-G È"d"dCX ð#{] ó

g ñ=0 Ö Ì"d Ã * 2"d				g 0 Ö α 8							g `&é Ö?-G "d ²					
5 Ì g ñ5F'	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	¼"W F" mg/L	\$h/ë " mg/L	8ç Ö Ä Ö Å	#•#z Ö Ä 1 7 8 Å	8 ¼ £	6¹-Ì ?ñ (™)	pH	Q K`G" - 7 mg/L	"X mg/L	"X"^\n mg/L	9ü:m k CFU/ml	k W6Ð 9ü5Ô MPN/100ml	2Ú W6Ð 9ü5Ô MPN/L	W6Ð ó <"?9ü MPN/100ml	Jñ mg/L	K` mg/L
Ì"d	-	-	20	22.3	Ä	9"¹#ð(™)	7.14	2.80	-	0.064	/	/	/	-	0.049	0.022
* 2"d	0.18	0.31	Ø	0.150	Ä		7.09	1.28	Ø	-	/	/	-	/	Ø	Ø
* % Ä Ä								0		0			10000		0	0
GB/T5749-2022	0.8		0.15	0	28 Ä 2 £		8.5	0	0		0	= Ç ð *	= Ç ð *	= Ç ð *	0	0
ðP¼ Í ž	É+O#kOž+X"d 7 ö ðP¼# È * %					B\$ > Ö ÄG÷+X ¼"W F" _>"_ '\$ 8#," r +O ~#," é ? & È ¼"W F" _>\$h/ë" _ TN© 7 7 Ä% CãL€ l?±"r È8# A ON© 7 7 Ä% Cã %Gý?±"r Ä Ä þ+O(™ Ä9ü:m k Ä k W6Ð9ü5Ô Ä2Ú W6Ð9ü5Ô Ä W6Ð ó <9ü Å 0 ` T Y > }7- * §5 ì È u = X>~] G * Ä										